BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
A61K 31/41, 31/415, 31/44, 31/455

A1

(11) International Publication Number: **WO 00/38676**

(43) International Publication Date: 6 July 2000 (06.07.00)

(21) International Application Number: PCT/EP99/10330

(22) International Filing Date: 22 December 1999 (22.12.99)

(30) Priority Data:

98811257.9	23 December 1998 (23.12.98)	EP
98811258.7	23 December 1998 (23.12.98)	EP

(71) Applicant *(for all designated States except AT US)*: NOVARTIS AG [CH/CH]; Schwarzwaldallee 215, CH–4058 Basel (CH).

(71) Applicant *(for AT only)*: NOVARTIS–ERFINDUNGEN VERWALTUNGSGESELLSCHAFT M.B.H. [AT/AT]; Brunner Strasse 59 A–1230 Vienna (AT).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: BULLOCK, Gillian, Rosemary [GB/GB]; East Holme Farm, Maresfield, Uckfield, E.Sussex TN22 3AY (GB). DE GASPARO, Marc [CH/CH]; Es Planches 123a, CH–2842 Rossemaison (CH). GANTER, Sabina, Maria [DE/DE]; Neustädtle 16, D–79365 Rheinhausen (DE).

(74) Agent: BECKER, Konrad; Novartis AG, Corporate Intellectual Property, Patent & Trademark Department, CH–4002 Basel (CH).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.

(54) Title: USE OF AT–1 RECEPTOR ANTAGONIST OR AT–2 RECEPTOR MODULATOR FOR TREATING DISEASES ASSOCIATED WITH AN INCREASE OF AT–1 OR AT–2 RECEPTORS

(57) Abstract

The invention relates to the use of an AT_1 receptor antagonist or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub–epithelial area or increase of AT_2 receptors in the epithelia.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

USE OF AT-1 RECEPTOR ANTAGONIST OR AT-2 RECEPTOR MODULATOR FOR TREATING DISEASES ASSOCIATED WITH AN INCREASE OF AT-1 OR AT-2 RECEPTORS

Angiotensinogen, an α2-macroglycoprotein, is cleaved by the enzyme renin into the decapeptide angiotensin I, which is itself only very slightly active biologically. In the next step of the cascade, two further amino acids are cleaved off by the action of the enzyme angiotensin converting enzyme (ACE), which is mainly bound in the endothelium, with the formation of angiotensin II. The latter is regarded as being one of the most powerful natural vasoconstrictors.

Angiotensin II interacts with specific receptors on the surface of the target cell. Success has by now been achieved in identifying receptor subtypes which are, for example, designated AT_1 receptors and AT_2 receptors. Studies on the renin-angiotensin system, particularly in relation to hypertension, have increased almost exponentially over the last decade. As a result, the number of receptors for Angiotensin II have now been identified and some of them have been cloned and analysed. Recently, considerable efforts have been made to identify the substances which bind to the AT_1 receptor, with active compounds of this nature frequently being termed angiotensin II antagonists. As a consequence of the inhibition of the AT_1 receptor, these antagonists can, for example, be employed as antihypertensives or for treating congestive heart failure.

The AT_1 and AT_2 receptors have also been studied for their distribution and biological properties and have been shown, despite a 30% homology, to have a very different distribution and activity.

The AT_1 receptor, which plays a major part in blood pressure regulation, has been found in the adrenal cortex, kidney, uterus etc. At a cellular level it has been found on fibroblasts, macrophages and smooth muscle cells (SMC).

In contrast, the AT_2 receptor has been found mainly in foetal tissues but also in adult especially in pathological tissue such as in ischaemic heart disease. Here it has been located on fibroblasts and endothelial cells.

The aim of the studies described hereafter is to evaluate the distribution of AT_1 and AT_2 receptors in the human lung using essentially the immunocytochemical and the in situ hybridisation methodologies.

Previously, specific antibodies have been made against epitopes of the AT_1 receptor but no such specific tools existed for the AT_2 receptor. Histological studies therefore depended on radio-labelled receptor antagonists together with autoradiography which only gave a relatively crude tissue localisation. In the last two years, however, specific well-characterised antibodies to the human receptor have become available and have therefore been used in the studies relied upon hereafter.

Methods and Materials

1. Antibody and in situ hybridisation (ISH) probe specificity and titration

In order to confirm the specificity of the immunocytochemical (ICC) and ISH studies, paraffin embedded blocks of normal human adrenal (cortex and medulla) are obtained from the archives of the Pathology Dept., University Hospital, Ghent, Belgium, and used as test material. AT_1 receptors are known to be predominantly located in the adrenal cortex and AT_2 in the medulla.

For the human lung studies, control material is obtained from autopsies where the patients have died from causes other than lung disease e.g. fatal accidents. Some of this material comes from Ghent as above, some from the archives of the Pathology Dept. of The Pennsylvania Hospital, Philadelphia, USA. Tissue containing small airways is selected as they appear to be more sensitive to injury.

All samples have been fixed in 10% buffered formalin as rapidly as possible post-mortem, dehydrated and embedded in paraffin wax. 3-5 µm sections are cut and mounted on silane coated glass slides.

In order to minimise any variations in the processsing, pairs of sequential sections are mounted on each slide, one for AT_1 and the other for AT_2 antibody exposure. Up to 20 slides are treated at the same time so that, with the exception of the primary antibody, al

reagents including the chromogen are identical. Section thickness is therefore the only variable which could not be totally controlled.

2. Antibodies

Two AT_1 receptor antibodies, from Santa Cruz Inc., San Diego, CA, USA, (clones N 10 and 306) are tested and found to give identical adrenal cortex receptor distribution.

The major part of the study is done with an AT_2 receptor antibody available from Santa Cruz (clone C18) which is tested and is found that it gives the identical staining pattern in adrenal medulla and lung as the first one.

All the antibodies have been rigorously tested by the commercial and individual suppliers for specificity and cross-reactivity.

3. ISH probes

PCR (Polymerase Chain Reaction) products were prepared and used as follows:

Oligonucleotides specific to human angiotensin II receptor type I (GenBank accession number M93394) and angiotensin II receptor type II (GenBank accession number U15592) were designed using the Oligo 5.0 software programme to homologous regions from both sequences (Table 1). cDNA from human bone tissue was prepared following standard methods (Sambrook J, Fritsch EF, Maniatis T. Molecular Cloning: a Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). For PCR the following oligonucleotide primer pairs were used: angiotensin II receptor type I, 5'-CTggCTgACTTATgCTTTTTACTgACT-3' and 5'-gATgCAggTgACTTTggCTACA-3'; (PCR product size 236 base pairs) and for angiotensin II receptor type II, 5'-ATTTACTCCTTTTggCTACTCTTCCTC-3' and 5'- ggTCACgggTTATCCTgTTCTTC-3' (PCR product size 489 base pairs). PCR amplifications were performed with 10 ng of template cDNA using a MJ Research PCR Cycle machine and the following PCR cycles : 1) 94 ^{o}C/2 min, 2) 94 ^{o}C/10 sec, 60 ^{o}C/30 sec, 72 ^{o}C/15 sec for 35 cycles, using High Fidelity Taq polymerase (Boehringer Mannheim) with components provided in the manufacturer's kit. Products of the PCR amplifications were identified by electrophoresis through a 0.8%

agarose/TBE gel (Sambrook J, Fritsch EF, Maniatis T. Molecular Cloning: a Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). To confirm the identity of the PCR amplification products, the DNA was eluted from the gel and cloned into the A/T cloning vector pMOSBlue (Amersham). Colonies containing a DNA insert of the correct size (Table 1) were fully sequenced on both strands to confirm their identity.

Each probe, both sense and anti-sense for the AT_1 and anti-sense only as described above, are labelled with fluorescin (FITC) and the presence of mRNA in the cells detected following hybridisation with the probe and use of a mouse anti-FITC probe plus the alkaline phosphatase anti-alkaline phosphatase (APAAP) detection system. This labelling technique enhanced the detection of very low copy numbers.

4. Immunocytochemistry

For all the antibodies the procedure is as follows. 5 µm sections are first treated by antigen retrieval techniques, together with microwaving, in citrate buffer (pH 6.0).

Exposure is for 20 minutes and the slides left to cool down in the buffer. Where the antibodies are goat polyclonal, the peroxidase anti-peroxidase (PAP) method with diaminobenzidine (DAB) as chromogen is utilised, otherwise for rabbit polyclonals the APAAP system with new Fuchsin is used. The sections are first blocked with 1% bovine serum albumen (BSA) for 30 minutes to block non-specific receptors, followed by incubation with the primary antibody for 30 minutes at room temperature. Each antibody is titrated out and the optimal dilutions are as follows:

Antibodies Used:	Lung Tissue	Adrenal
AT_1 Clone N 10	1:200	1:500
Clone N 306	1:200	1:500
AT_2 Clone C 18	1:150	1:500

As a negative control, for the rabbit polyclonal a negative serum from Dako (Prosan, Ghent, Belgium) is used, for the goat polyclonal the primary antibody is omitted.

ISH

5 µm sections are deparaffinised and then exposed to 'in situ' hybridisation following well estabilised techniques. The sections are first treated with pre-hybridisation solution for 20 minutes at 55°C. They are then washed before exposure to the probes overnight at 55°C. After further washing, they are treated with a mouse anti-FITC antibody and the APAAP detection system for location of the specific message. For the AT_1 receptor, the sense probe is the negative control, for the AT_2 receptor, the probe is omitted.

Image analysis

In order to measure the stain intensity quantitatively, the slides are viewed in the Leica MR500 and the amount of stain per unit area of tissue recorded in pixels following Leica's instruction. This is done to establish the ratios of AT_1 to AT_2 receptor in different regions. These are a) airways epithelium, b) the sub-epithelial interstium, c) SMC around blood vessels and d) mucous glands.

RESULTS

Adrenal distribution studies

AT_1 Distribution: All two antibodies give the following distribution pattern in the adrenal cortex, that is distinctive staining around the smooth muscle cells surrounding the blood vessels and also on the interstitial network on and around fibroblasts as predicted. There is no staining of endothelial cells.

AT_2 Distribution: The antibody is tested against adrenal medulla where strong staining of adrenal pheochromocytoma cells is seen.

ISH: Both antisense probes give a similar picture.

Control Lung

AT_1 Distribution: Very clear staining of the interstitial cells underlying the airways epithelium (sub-epithelial) is seen and also the margins of the smooth muscle cell (SMC) surrounding the blood vessels. In addition macrophages are also positive.

AT_2 Distribution: This receptor appears to be strongly associated with the airway epithelial cells, with dense staining of the brush border. Positive cells are also seen in some of the mucous glands, on some vascular endothelial cells and on fibroblasts, chondrocytes and macrophages. There is no staining of SMC.

ISH: Again the probes give a similar picture. In particular the AT_2 probe give a strong signal on endothelial cells and on some mucous glands only.

Image analysis

The distribution of the protein and therefore the receptor as represented by stain intensity i.e. pixels per μm^2 of tissue is given in the following table.

Antibody	Airway Epithelial	Sub-Epithelial	Glands	SMC
AT_1	0.00	8	0.00	10
AT_2	5	0-1	5	0.00

The presence of Angiotensin II receptors in adrenal cortex and medulla has previously been demonstrated by both biochemical and histological means. The data are obtained with both commercially available and privately supplied antibodies both confirming these findings but also establishing the reliability of the instant immunocytochemical and ISH methodology.

In view of the results of these studies, the distribution of the AT_1 and AT_2 receptors in normal and diseased lung tissues has to be compared, in order to determine the specific AT_1 and AT_2 distributions and ratios.

The presence of AT_1 receptors in the lung has previously been shown biochemically and now their exact cellular location has been demonstrated. This information is vital for

establishing the proportions of AT_1 and AT_2 receptors in different regions of the lung under normal and pathological conditions.

The data on the distribution especially of the AT_2 receptor is totally new as no previous data exist as to their presence or distribution. Several important points arise from this study.

First the presence of the AT_2 receptor on the bronchial epithelial cells of the small airways. As it is already known this receptor is considered to be anti-fibrotic, anti-proliferative and pro-apoptotic. Therefore up- or down-regulation on epithelial cells has profound effects on epithelial cell replacement, development of hyperplasia and even a role in the development of lung cancer.

Secondly, the presence of considerable amounts of the protein on the brush border of the epithelial cells could well be associated with the amount of mucous secretion as some of the epithelial cells of the mucous glands have also been shown to carry the receptor. From the ISH data, some glands contain a high level of mRNA.

Finally, the presence of the AT_2 receptor on vascular endothelial cells has now been confirmed both by immunocytochemistry and in situ hybridisation. Its distribution to be both infrequent and not on all the cells of one particular vessel hasbeen found.

These studies confirm and extend existing data on the presence and distribution of Angiotensin II type AT_1 and AT_2 in the human lung. The presence of the AT_2 receptor on the small airway epithelial cells has considerable consequences for the understanding of diseases arising from alteration in the function of these cells.

Very little is known on the localisation of the AT receptors in the human lung and about their distribution, up or down regulation and ratio in normal and diseased lung tissue. For this study, samples are collected from normal lung, and from patients with chronic obstructive pulmonary disease (COPD) ± hypertension.

Lung samples

These have been obtained from the following groups of patients all clinically defined.

NN	(n=3)	-	non-smokers, normal tissue
C	(n=5)	-	smokers but otherwise normal
COPD	(n=8)	-	COPD positive, normal BP
COPD/H	(n=3)	-	COPD plus hypertension
H	(n=4)	-	smokers with raised BP

The airways are carefully dissected out of the lungs immediately after removal of the lung from the patient for tumour resection or other reasons. The region is carefully selected to be free of any cancerous tissue. The small blocks are then fixed in 4% paraformaldehyde for 2 h at room temperature before embedding in paraffin wax. This is to ensure optimum structural integrity and retention of antigenic activity.

Methods for establishing receptor localisation

a) Immunocytochemistry (ICC). 2 x AT_1 antibodies are tested, Santa Cruz (clones N-10 and 306). One AT_2 antibody has also been tested, Santa Cruz (clone C 18).

Digital images show:

Distribution of the AT_2 receptor in bronchiolar epithelial cells including the brush border and on the mucous gland cells.

Adjacent section stained for AT_1 receptor illustrating the very different distribution on smooth muscle cells, fibroblasts/stroma and macrophages.

Analysis of human lung from patients

All material obtained to date has been sectioned and stained by ICC for both AT_1 and AT_2 receptor localisation with appropriate negative controls. Image analysis has been started with readings from one section per patient to date (this is a slow process as base lines have to rigidly adhered to). Measurements have been made of the epithelial v subepithelial and blood vessel. This analysis is being done in a "blinded" manner so that no comment can be made other than the fact that some "patients" clearly have levels well away from the average. Discrepancies due to varying section thickness and staining have been minimised

by doing the AT_1 and AT_2 ICC simultaneously with sequential sections. Thus the same batch of chromogen could also be used.

The findings of a lung epithelial localisation for the AT_2 receptor has a number of consequences. As this receptor has been shown to be both anti-proliferative, anti-fibrotic and pro-apoptotic its up-regulation is anticipated to have consequences for a number of lung diseases; e.g.that smoking alone has any influence. It is a role in such fibrotic conditions as adult respiratory distress syndrome (ARDS), or even in reducing the proliferative capacity of the epithelium in lung cancer.

Results

Receptor localisation

All the antibodies and riboprobes are tested on normal adrenal cortex and medulla where both receptor types are known to be present in relative abundance.

The process is repeated on normal lung tissue where we are able to detect both AT_1 and AT_2 receptors and their mRNA. The localisation is as follows:

AT_1 - on smooth muscle cells, fibroblasts/stroma, macrophages. This is fairly predictable except the intensity and number of receptors in normal lung is quite high.

AT_2 - on bronchial epithelial cells (especially the brush border), on mucous glands (some). In addition, on the vascular endothelial cells, fibroblasts, macrophages and cartilage cells.

This is a totally unexpected and novel finding which needs investigating further. The epithelial cell and mucous gland location is confirmed by both protein and mRNA content, the brush border location relates to mucous secretion.

DISTRIBUTION OF ANGIOTENSIN AT_1 AND AT_2 IN THE LUNGS OF PATIENTS WITH CHRONIC BRONCHITIS COMPARED WITH CONTROLS

Group	Epithelial		Sub-epithelial		Ratio
	AT_1	AT_2	AT_1	AT_2	AT_1(Epithelia)/AT_2(Sub-epithelial)
Control (1) Smokers - N=4	0.02	7.15	4.07	0.01	0.56
Control (2) Non-Smokers N=5	0.02	9.49	6.45	1.3	0.67
Control (3) Smokers Hypertension	0.1	7.97	11.02	0.04	1.38
COPD Smokers No hypertension N=7	0.10	6.84	19.64	0.11	2.87
COPD Smokers Hypertension N=3	0.30	6.01	6.12	0.05	1.01

The Leica equipment (image analyser MR 500) translates the stain intensity into a grey scale (0-250) , each unit being one pixel. This allows one to quantitate the data accurately.

These data are based on image analysis of the patient. Data is expressed as pixels per unit area of positively stained tissue and the mean of five fields per slide.

As can be taken from these results, the ratio of AT_1 distribution in the sub-epithelial and AT_2 in epithelial in normal lung tissue is significantly below 1, whereas this ratio is close to or above 1 in diseased lung tissues. The epithelial forms the inner lining of the trachea and the main bronchii. The increase in the AT_1/AT_2 receptor ratio in the bronchial sub-epithelial

region of the lung from chronic bronchitic patients compared with control is mainly due to raised levels of the AT_1 receptor found on the fibroplasts and macrophages surronding the airways epithelium and reflects the increased levels of inflammation and fibrosis seen in COPD.

The above results clearly demonstrate that AT_1 receptors which modulate angiotensin II are located in sub-epithelial lung tissue and especially the distribution in corresponding lung tissue is increased. Accordingly, the inhibition of angiotensin II by means of AT_1 receptor antagonists leads to decrease in airways obstruction.

Furthermore, the experiments show that the distribution of AT_2 in epithelial lung tissue, especially in corresponding diseased tissue, e.g. mainly on the bronchial epithelial cells, and also in structural cells of the alveola, e.g. on mucous glands of the alveola, is increased. As AT_2 receptors are anti-proliferative, anti-fibrotic and pro-apoptotic, their modulation is useful for the treatment of specific forms of lung conditions and diseases, especially for the treatment of adults respiratory distress syndrome (ARDS) and for reducing the proliferative capacity of the epithelium in lung and breast cancer, furthermore, for the treatment of sepsis syndrome, lung injury forms, such as pneumonia, aspiration of gastric content, chest trauma, shock, burns, fat embolia, cardiopulmonary bypass, O_2 toxicity, haemorhagic pancreatitis, interstitial and bronchoalveolar inflammation, proliferation of epithelial and interstitial cells, collagen accumulation, fibrosis.

Receptor distribution in normal breast tissue and in patients with breast cancer

The breast specimens included in this study are randomly recruited from the files of the Pathology Dept, University Hospital, Ghent. All have been fixed in formalin, processed into paraffin wax and a diagnosis of their pathological status made by the departmental pathologists. Sixteen cases have been included: 14 invasive ductal carcinomas, one invasive colloid carcinoma and one invasive lobular carcinoma.

Immunocytochemistry is carried out on paraffin wax embedded tissue sections using the polyclonal antibodies for AT1 and AT2 used in the lung study together with the streptavidin-biotin-peroxidase complex method as before.

In order to provide a possible model for testing receptor antagonists, cell lines originating from human breast tissues are also studied for their receptor content. This can provide a useful in vitro working model for further biochemical and cytological studies.

Results

The data obtained clearly demonstrate the presence of angiotensin II type 1 and 2 receptors in normal human breast tissue with AT2 being found on the cuboidal epithelium lining the ducts and AT1 predominantly present on the ductal myoepithelial cells. All staining was abolished by omitting the primary antibody from the incubation.

In all cases the connective tissue was positive for the AT1 receptor along with no (11/16) to weak (5/16) staining of the cancer cells. For the AT2 receptor, the opposite was observed with all carcinomas being positive and almost no stromal reactivity (1/16).

Results from the cell lines tested were very interesting with a different staining pattern being seen in each one. The short term cultures of normal mammary epithelial cells were strongly positive for the AT1 receptor but stained only weakly for the AT2 receptor.

Breast carcinomas

Patient	AT_1			AT_2	
	Breast Carcinoma	Carcinoma	Stroma	Carcinoma	Stroma
1	invasive, interm. differentiated ductal carcinoma - grade 2 Bloom-Richardson classification	-	++	++	-
2	invasive, interm. differentiated ductal adenocarcinoma	-	+++	++ focal	-
3	invasive, poorly differentiated ductal carcinoma - ductal carcinoma *in situ*	-	++	+	-
4	invasive, interm. differentiated ductal carcinoma - extensive	-	+	++	-

	ductal carcinoma *in situ*				
5	invasive colloid carcinoma	-	++	++	-
6	invasive, interm. differentiated ductal carcinoma - ductal carcinoma *in situ*	+	+	+++	-
7	invasive, well differentiated ductal carcinoma - large ductal carcinoma *in situ*	-	++	++	-
8	invasive, poorly differentiated ductal carcinoma - ductal carcinoma *in situ*	+	++	+++	-
9	invasive, well differentiated ductal carcinoma	-	+	++ focal	-
10	invasive, poorly differentiated ductal carcinoma - ductal carcinoma *in situ*	-	+	+	-
11	invasive, poorly differentiated ductal carcinoma - multifocal carcinomas *in situ*	-	++	++	-
12	invasive, poorly differentiated ductal carcinoma	-	+++	++	+
13	invasive, poorly differentiated invasive carcinoma	+	++	++	-
14	invasive, poorly differentiated ducatl carcinoma - several ducal carcinomas *in situ*	-	++focal	++	-
15	invasive, poorly differentiated ductal carcinoma - several ductal carcinomas *in situ*	+	+++	+	-
16	invasive, lobular carcinoma - cribriform intraductal carcinoma	+	+	+	-

Conclusions

As can be seen from these results, the presence of the AT1 receptor on normal epithelial cells appears to be very different to the lung. However, the epithelial cell type is myoepithelial whereas the AT2 receptor in both tissues is found on cuboidal epithelial cells. At the same time, the positive stromal staining for the AT1 receptor is the same for both tissues. The latter is clearly linked to the presence of fibroblasts in the extracellular matrix.

The presence of the AT2 receptor on the carcinoma cells and in such a widespread and reproducible manner is surprising. The cell types described here carrying the specific receptors provide an ideal *in vitro* model for such studies.

These experiments clearly demonstrate the surprising effect that in the instant model using breast carcinoma cells, the AT_1 receptors are mainly distributed in the stroma while the AT_2 receptors could mainly be ascertained in the carcinoma cells.

All these surprising results clearly demonstrate that any AT_1 receptor antagonist or AT_2 receptor modulator may be used for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia, especially for the treatment of obstructive airways diseases. Obstructive airways diseases a classification of respiratory diseases which are characterized by decreased airway size and increased airway secretion, resulting in reduced alveolar ventilation. Obstructive airways diseases comprise reversible and irreversible conditions and are selected, for example, from chronic obstructive pulmonary disease, such as bronchitis, e.g. chronic bronchitis and emphysema, likewise from asthma, cystic fibrosis, interstitial lung disease, invasive lung cancer, pulmonary vascular disease, and increased resistance to airflow during forced expiration. Any such treatment may also, but not necessarily, be associated with the treatment of hypertension as well as both non-smokers and smokers.

These surprising results clearly demonstrate that any AT_2 receptor modulator may be used for the treatment of conditions or diseases associated with an increase of AT_2 receptors in epithelial lung tissue, especially for the treatment of specific forms of lung conditions and diseases, especially for the treatment of adults respiratory distress syndrome (ARDS) and for reducing the proliferative capacity of the epithelium in invasive lung cancer, , furthermore, for the treatment of sepsis syndrome, lung injury forms, such as pneumonia,

aspiration of gastric content, chest trauma, shock, burns, fat embolia, cardiopulmonary bypass, O_2 toxicity, haemorhagic pancreatitis, interstitial and bronchoalveolar inflammation, proliferation of epithelial and interstitial cells, collagen accumulation, fibrosis.

AT_1 receptor antagonists or AT_2 receptor modulator are agents that modify the host's biological response to tumor cells with resulting therapeutic benefit. The increased AT_1 receptor expression in mammary ductal myoepithelium and of the AT_2 receptor in mammary cuboidal epithelium demonstrate that any AT_1 receptor antagonist or AT_2 receptor modulator may be used for treatment of invasive breast carcinoma. These included scirrhous, infiltrative, papillary, ductal, medullary and lobular breast cancers as well as metastasis in the lungs, pleura, skeleton and liver. Treatment should be considered as adjuvant therapy in combination with surgery, radiotherapy or as palliative therapy with hormonal therapy or other biological response modifiers such as interferons, interleukins, tumor necrosis factors, monoclonal antibodies etc..

While clinical examination and mammography suggest breast cancer, it is only the examination of the tissue biopsy which allow to make the diagnosis. The distribution pattern of AT_1 and AT_2 receptors can be used as marker for hyperplasia (location of AT_1 receptors) and for invasive cancer (location of AT_2 receptors) and therefore for the diagnostic of the malignancy of the tumor.

AT_1 receptor antagonists include compounds having differing structural features. For example, mention may be made of the compounds which are listed in the European Patent Application having the publication No. 443983 (EP 443983), in particular in the compound claims and the final products of the working examples, the subject-matter of which claims is hereby incorporated into the present application by reference to this publication.

Preference is given to (S)-N-(1-carboxy-2-methylprop-1-yl)-N-pentanoyl-N-[2'(1H-tetrazol-5-yl)biphenyl-4-ylmethyl]amine [Valsartan] of the formula



(I)

and its pharmaceutically utilizable salts.

Furthermore, the compounds which are listed in European Patent Application having the publication No. 253310 (EP 253310), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Losartan] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. 403159 (EP 403159), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Eprosartan] of the following formula



and its pharmaceutically utilizable salts.

Furhermore, the compounds listed in the PCT Patent Application having the publication No. WO 91/14679, in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Irbesartan] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. EP 420237 (EP 420237), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [E-1477] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. 502314 (EP 502314), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Telmisartan] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. 459136 (EP 459136), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Candesartan] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in European Patent Application having the publication No. 504888 (EP 504888), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [SC-52458] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. 514198 (EP 514198), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [Saprisartan] of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the European Patent Application having the publication No. 475206 (EP 475206), in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound of the following formula



and its pharmaceutically utilizable salts.

Furthermore, the compounds listed in the PCT Patent Application having the publication No. WO 93/20816, in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

Preference is given to the compound [ZD-8731] of the following formula



and its pharmaceutically utilizable salts.

AT_2 receptor ligands (modulators) include compounds having differing structural features. For example, mention may be made of the compounds which are listed in WO 94/13651, in particular in the compound claims and the final products of the working examples, the subject-matter of which claims is hereby incorporated into the present application by reference to this publication.

Furthermore, the compounds listed in WO 94/13642, in particular in the compound claims and the final products of the working examples, are hereby incorporated into the present application by reference to this publication.

AT_1 receptor antagonists or AT_2 receptor ligands, respectively, which, for example, possess at least one basic centre can form acid addition salts. These are formed, for example, using strong inorganic acids, such as mineral acids, e.g. sulfuric acid, a phosphoric acid or a hydrohalic acid, using strong organic carboxylic acids, such as C_1-C_4alkanecarboxylic acids which are unsubstituted or substituted, for example, by halogen, e.g. acetic acid, such as saturated or unsaturated dicarboxylic acids, e.g. oxalic, malonic, succinic, maleic, fumaric, phthalic or terephthalic acid, such as hydroxycarboxylic acids, e.g. ascorbic, glycolic, lactic, malic, tartaric or citric acid, such as amino acids, e.g. aspartic or glutamic acid, or such as benzoic acid, or using organic sulfonic acids, such as C_1-C_4alkanesulfonic acids or arylsulfonic acids which are unsubstituted or substituted, for example, by halogen, e.g. methanesulfonic acid or p-toluenesulfonic acid. Examples of suitable salts with bases are metal salts, such as alkali metal or alkaline earth metal salts, e.g. sodium, potassium or magnesium salts, or salts with ammonia or an organic amine, such as morpholine, thiomorpholine, piperidine, pyrrolidine, a mono-, di- or tri-lower alkyl amine, e.g. ethyl-, tert-butyl-, diethyl-, diisopropyl-, triethyl-, tributyl- or dimethylpropyl-amines, or a mono-, di- or trihydroxy lower alkyl amine, e.g. mono-, di- or tri-ethanolamine. Furthermore, corresponding internal salts can be formed.

The invention provides pharmaceutical preparations, which comprise an AT_1 receptor antagonist or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for the treatment of conditions or diseases associated with the increase of AT1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia.

The invention also provides the use of an AT_1 receptor antagonist or or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia.

The invention furthermore provides a method for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia, which comprises administering a therapeutically effective amount of an AT_1 receptor antagonist or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof.

The invention also provides the use of an AT_1 receptor antagonist or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia.

These pharmaceutical preparations are for enteral, such as oral, and also rectal or parenteral, administration to homeotherms, with the preparations comprising the pharmacological active compound either alone or together with customary pharmaceutical auxiliary substances. For example, the pharmaceutical preparations consist of from about 0.1 % to 100 %, preferably of from about 1 % to about 80 %, of the active compound. Pharmaceutical preparations for enteral or parenteral, and also for ocular, administration are, for example, in unit dose forms, such as coated tablets, tablets, capsules or suppositories and also ampoules. These are prepared in a manner which is known per se, for example using conventional mixing, granulation, coating, solubulizing or lyophilizing processes. Thus, pharmaceutical preparations for oral use can be obtained by combining the active compound with solid excipients, if desired granulating a mixture which has been obtained, and, if required or necessary, processing the mixture or granulate into tablets or coated tablet cores after having added suitable auxiliary substances.

The dosage of the active compound can depend on a variety of factors, such as mode of administration, homeothermic species, age and/or individual condition. Normally, in the case

of oral administration, an approximate daily dose of from about 10 mg to about 360 mg, for example in the case of Valsartan e.g. of about 40 mg, 80 mg, 160 mg or 320 mg, is to be estimated for a patient of approximately 75 kg in weight.

A further aspect of the present invention are solid oral dosage forms of valsartan which may be used for the treatment of diseases and conditions e.g. as disclosed hereinbefore.

WO 97/49394 (the content of which is incorporated herein by reference, especially (but not limited to) the subject mattter as claimed) discloses compressed solid oral dosage forms, e.g., by compaction, of valsartan (optionally in salt form) optionally combined with hydrochlorothiazide (HCTZ). In WO 97/49394 the preferred range of cellulose is given as 10 to 30%, e.g., 21 %, for valsartan/HCTZ compositions and 5% Valsartan alone. The preferred range of crosslinked polyvinylpyrolidone (Crospovidone) is given as 10 to 20%, e.g., 13 %.

After exhaustive testing it has been found surprisingly that it is possible to improve the bioavailability characteristics of known solid formulations of valsartan by increasing the proportion of microcristalline cellulose. It has also been found surprisingly that it is possible to improve the quality, e.g., better weight uniformity and better compression for the tablets, of said known solid formulations of Valsartan by decreasing the proportion of crosslinked PVP crospovidone.

Thus, in a further aspect, the present invention relates to a solid oral dosage form comprising valsartan as the active agent and more than 30% of microcristalline cellulose by weight based on the total weight of the core components of said solid oral dosage form, e.g., 31 to 65%, e.g., 50%.

In a further aspect, the present invention relates to a solid oral dosage form comprising valsartan as the active agent and microcristalline cellulose wherein the weight ratio of valsartan to microcristalline cellulose is from 2.5 : 1 to 0.3 : 1, e.g., 2 : 1 to 1 : 1, e.g., 1.4: 1.

In a further embodiment the solid oral dosage form of the invention comprises less than 13% of crospovidone, e.g., 2 to 10%, by weight based on the total weight of the core components of the solid oral dosage form.

Preferably, the weight ratio of valsartan to Crospovidone is from 7 : 1 to 3 : 1, e.g., 6 : 1 to 4 : 1, e.g., 5.3 : 1.

Preferably, the weight ratio of microcristalline cellulose to crospovidone is from 7 : 1 to 1 : 1, e.g., 4 : 1 to 2 : 1, e.g., 3.6: 1.

The solid oral dosage form according to the invention may comprise from 20 to 360 mg of valsartan, e.g., 40, 80, 160, 320mg. With this range of dosages treatment flexibility and efficacy, e.g., in blood pressure reduction, may be increased.

In a further aspect, the invention relates to a solid oral dosage form comprising
20 to 65% of valsartan
31 to 65% of microcristalline cellulose
2 to 13% of crospovidone.

A typical composition may comprise :
20 to 65% of valsartan
31 to 50% of microcristalline cellulose
2 to 10% of crospovidone
1 to 10 % of magnesium stearate
0.5 to 5 % of colloidal anhydrous silica.

If desired 1 to 10% by weight of the core composition, e.g., 5 to 10%, of Cutina, or 1 to 10% by weight of the core composition, e.g., 5 to 10% of stearic acid may be added.

Preferably solid oral dosage forms of the invention is in the form of a compressed tablet.

In a further aspect the invention relates to a solid oral dosage form, e.g., a compressed tablet, comprising more than 250 mg and up to 360 mg, e.g., 320 mg, of Valsartan as an active agent.

Other excipients as lubricants and glidants commonly used in solid oral formulations may be used and reference is made to the extensive literature on suitable substances, see in particular Fiedler's "Lexicon der Hilfstoffe", 4th Edition, ECV Aulendorf 1996 and "Handbook of Pharmaceutical Excipients" Wade and Weller Ed.(1994) the content of which is incorporated herein by reference.

The solid oral dosage forms according to the present invention may be in the form of dragèes in which case the solid oral dosage form is provided with a coating typically a sugar, shellac or other film coating entirely conventional in the art. Attention is drawn to the numerous known methods of coating employed in the art, e.g. spray coating in a fluidized bed, e.g. by the known methods using apparatus available from Aeromatic, Glatt, Wurster or Hüttlin, in a perforated pan by the Accela Cota method, or to the submerged sword coating method. The additives commonly used in confectioning are employed in such methods. For example, coatings which may be used are those disclosed in WO 97/49394, Opadry and the like.

The pharmaceutical compositions of the present invention are useful in the known indications of the particular active agent incorporated therein.

The exact dose of active agent and the particular formulation to be adminstered depend on a number of factors, e.g. the condition to be treated, the desired duration of the treatment and the rate of release of the active agent. For example, the amount of the active agent required and the release rate thereof may be determined on the basis of known in vitro or in vivo techniques, determining how long a particular active agent concentration in the blood plasma remains at an acceptable level for a therapeutic effect.

For example, the composition of the invention in clinical trials has a comparable bioavailability to the commercial form of Diovan®.

Preferably the dissolution rate of solid form according to the present invention is above 90% over 30 minutes.

For example dosages in the range of 10 mg to 360 mg of valsartan per day for a 755 kilogram mammal, e.g., humans, and in standard animal models, may be used. An excellent tolerability of valsartan provided by the compositions may be observed in standard animal tests and in clinical trials.

The invention provides in another of its aspects a process of making a solid oral dosage form as hereinabove described. Such solid oral dosage form may be produced by working up components as in WO 97/49394 (herein incorporated by reference), e.g. as defined hereinabove, in appropriate amounts, to form unit dosage forms.

For example there is provided a process of making the solid oral dosage forms as hereinabove described comprising the steps of

i) grinding the active agent and pharmaceutically acceptable additives,

ii) subjecting a mixture of the ground active agent and additives to compression to form a coprimate (the compacted mass)

iii) converting the coprimate to form a granulate and

iv) compressing the granulate to form the solid oral dosage form.

The process is carried out in the absence of water, i.e. it is a dry compression method. The process may be carried out under ambient conditions of temperature and humidity; it is not necessary to ensure that the process is carried out in a dry atmosphere.

The initial grinding step i) may be carried out according to conventional milling methods or micronisation methods.

The active agent and the additives can be milled either individually or together to particle sizes from about 0.1 micrometers (μ) to about 1500 μ, e.g., 1.0 μ to 900 μ, e.g., 60μ to 600 μ. At least 90 % of the crystals of both the active agent and the additives are present in these ranges. Particles of this size are obtained by conventional comminution methods, e.g.

grinding in an air jet mill, hammer and screen mill, fine impact mill, ball mill or vibrator mill.

Micronisation is preferably effected by known methods using an ultrasonic disintegrator, e.g. of the BRANSON Sonifier type, or by stirring a suspension with a high speed agitator, for example with a stirrer of the HOMOREX type.

The ground particles may optionally at this stage be sieved and mixed according to known methods.

Compression to form a coprimate requires the compaction of the dry ground components. Compaction may be carried out using a slugging technique or preferably, roller compaction. Roller compaction apparatus is conventional and essentially utilises two rollers which roll towards each other. A hydraulic ram forces one of the rollers against the other to exert a compacting force against the ground particles fed into the roller compactor via a screw conveyor system.

A compaction force of between 25 and 65 kN, e.g., 25 and 45 kN may be used. Within this range of compaction forces it has surprisingly been found that for each particular formulation a minimum compaction force should be used in order to obtain a solid oral dosage form wherein the granulate disintegrates into discrete primary particles at a desirable rate, e.g. disintegration occurs approximately six times faster for a solid oral dosage form compressed above a minimum compaction force. Such a rapid disintegration rate is unusual for tablets and is similar to the disintegration rate of a capsule formulation. The particular minimum compaction force is dependent on the active agent content in any given formulation and therefore also depends on the amount and nature of the additives present.

Given this information, the skilled addressee would clearly be able to determine the minimum compaction force for other formulations using routine experimentation and without undue burden.

The roller speed may be set at between 1 and 20 rpm and preferably 9 to 15 rpm. After passing through the rollers the compacted mass (the coprimate) resembles a thin ribbon in segments.

The coprimate may be screened and or milled to produce the granulate. Screening in its simplest form involves the passing of the coprimate emerging from the rollers through a seive under mechanical pressure. More preferably, the coprimate is screened using an oscillating mill, e.g. a MGI 624 Frewitt (Key International Inc.).

The compression of the granulates to tablet cores can be carried out in a conventional tabletting machine, e.g. in an EK-0 Korsch eccentric tabletting machine or a rotary compression machine, e.g., at a compression greater than 2 kN. The tablet cores may vary in shape and be, for example, round, oval, oblong, cylindrical or any other suitable shape, and may also vary in size depending on the concentration of the therapeutic agents. A characteristic of tablets according to the invention is their small size having regard to the amount of active agent contained therein.

In a preferred embodiment of the invention tablets obtained by the compression method described above are slightly oval. The edges of the tablets may be bevelled or rounded.

In a particularly preferred embodiment of the invention a solid oral dosage form is compressed in the form of a tablet having an oblong shape in which the ratio of dimensions length:width:height is, e.g., 2.5 - 5.0: 0.9 - 2.0: 1.0, and preferably in which the base and top face of the tablet independently of one another are planar or convexly curved about the longitudinal axis; the side faces are planar, the end faces can be of any shape and the edges are optionally bevelled or rounded.

In a particularly preferred embodiment of the invention a solid oral dosage form is compressed, from the granulate, in the form of a tablet of oblong shape in which the length is approximately 10.0 to 15.0 mm, the width approximately 5.0 to 6.0 mm and the height approximately 3.0 to 4.0 mm.

In another particularly preferred embodiment of the invention a solid oral dosage form is compressed from granulates in the form of a tablet of oblong shape in which the length is approximately 15.0 to 18.0 mm, the width approximately 6.0 to 9.0 mm and the height approximately 3.5 to 5.0 mm.

In yet another preferred embodiment of the invention there is provided a tablet which is essentially disc-shaped with the upper and lower faces having a slightly convex surface. Preferably the tablet has a diameter of about 8 to 8.5 mm and a depth of about 3 to 3.5 mm, or a diameter of about 16 mm and a depth of about 6 mm. The tablets may occupy a volume from about 0.1 cm^3 to about 1 cm^3, e.g., 0.1 cm^3 to about 0.45cm^3, e.g., 0.2 to 0.3 cm^3, e.g about 0.125 cm^3 or 0.25 cm^3.

They may furthermore be transparent, colourless or coloured and also marked so as to impart to this product an individual appearance and to make them instantly recognizable. The use of dyes can serve to enhance the appearance as well as to identify the compositions. Dyes suitable for use in pharmacy typically include carotinoids, iron oxides or chlorophyll.

The following examples illustrate the above-described invention; however, it is not intended to restrict the scope of this invention in any manner.

Formulation Example 1:

Film-Coated Tablets:

Components	Composition Per Unit (mg)	Standards
Granulation		
Valsartan [= active ingredient]	80.00	
Microcrystalline cellulose/ Avicel PH 102	54.00	NF, Ph. Eur
Crospovidone	20.00	NF, Ph. Eur

Colloidal anhydrous silica / colloidal silicon dioxide / Aerosil 200	0.75	Ph. Eur/ NF
Magnesium stearate	2.5	NF, Ph. Eur
Blending		
Colloidal anhydrous silica / colloidal silicon dioxide / Aerosil 200	0.75	Ph. Eur/ NF
Magnesium stearate	2.00	NF, Ph. Eur
Coating		
Purified water [1]	-	
DIOLACK pale red 00F34899	7.00	
Total tablet mass	167.00	

[1] Removed during processing.

The film-coated tablet is manufactured e.g. as follows:

A mixture of valsartan, microcrystalline cellulose, crospovidone, part of the colloidal anhydrous silica/colloidal silicon dioxide/Aerosile 200, silicon dioxide and magnesium stearate is premixed in a diffusion mixer and then sieve through a screnning mill. The resulting mixture is again pre-mixed in a diffusion mixer, compacted in a roller compacter and then sieve through a screening mill. To the resulting mixture, the rest of the colloidal anhydrous silica/colloidal silicon dioxide/Aerosile 200 are added and the final blend is made in a diffusion mixer. The whole mixture is compressed in a rotary tabletting machine and the tabletts are coated with a film by using Diolack pale red in a perforated pan.

Formulation Example 2:

Film-coated tablets:

Components	Composition Per Unit (mg)	Standards
Granulation		
Valsartan [= active ingredient]	160.00	
Microcrystalline cellulose/	108.00	NF, Ph. Eur

Avicel PH 102		
Crospovidone	40.00	NF, Ph. Eur
Colloidal anhydrous silica / colloidal silicon dioxide / Aerosil 200	1.50	Ph. Eur/ NF
Magnesium stearate	5.00	NF, Ph. Eur
Blending		
Colloidal anhydrous silica / colloidal silicon dioxide / Aerosil 200	1.50	Ph. Eur/ NF
Magnesium stearate	4.00	NF, Ph. Eur
Coating		
Opadry Light Brown 00F33172	10.00	
Total tablet mass	330.00	

The film-coated tablet is manufactured e.g. as described in Formulation Example 1.

Formulation Example 3:

Film-Coated Tablets:

Components	Composition Per Unit (mg)	Standards
Core: Internal phase		
Valsartan [= active ingredient]	40.00	
Silica, colloidal anhydrous (Colloidal silicon dioxide) [= Glidant]	1.00	Ph. Eur, USP/NF
Magnesium stearate [= Lubricant]	2.00	USP/NF
Crospovidone [Disintegrant]	20.00	Ph. Eur
Microcrystalline cellulose [= Binding agent]	124.00	USP/NF
External phase		
Silica, colloidal anhydrous, (Colloidal silicon dioxide) [= Glidant]	1.00	Ph. Eur, USP/NF
Magnesium stearate [Lubricant]	2.00	USP/NF
Film coating		
Opadry® brown OOF 16711 *)	9.40	
Purified Water **)	-	
Total tablet mass	199.44	

*) The composition of the Opadry® brown OOF16711 coloring agent is tabulated below.

**) Removed during processing

Opadry® Composition:

Ingredient	Approximate % Composition
Iron oxide, black (C.I. No. 77499, E 172)	0.50
Iron oxide, brown (C.I. No. 77499, E 172	0.50
Iron oxide, red (C.I. No. 77491, E 172)	0.50
Iron oxide, yellow (C.I. No. 77492, E 172)	0.50
Macrogolum (Ph. Eur)	4.00
Titanium dioxide (C.I. No. 77891, E 171)	14.00
Hypromellose (Ph. Eur)	80.00

The film-coated tablet is manufactured e.g. as described in Formulation Example 1.

Formulation Example 4:

Capsules:

Components	Composition Per Unit (mg)
Valsartan [= active ingredient]	80.00
Microcrystalline cellulose	25.10
Crospovidone	13.00
Povidone	12.50
Magnesium stearate	1.30
Sodium lauryl sulphate	0.60
Shell	
Iron oxide, red (C.I. No. 77491, EC No. E 172)	0.123
Iron oxide, yellow (C.I. No. 77492, EC No. E 172)	0.123
Iron oxide, black (C.I. No. 77499, EC No. E 172)	0.245
Titanium dioxide	1.540
Gelatin	74.969
Total tablet mass	209.50

The tablet is manufactured e.g. as follows:

Granulation/Drying

Valsartan and microcrystallin cellulose are spray-granulated in a fluidised bed granulator with a granulating solution consisting of povidone and sodium lauryl sulphate dissolved in purified water. The granulate obtained is dried in a fluidiesd bed dryer.

Milling/Blending

The dried granulate is milled together with crospovidone and magnesium stearate. The mass is then blended in a conical srew type mixer for approximately 10 minutes.

Encapsulation

Teh empty hard gelatin capsules are filled with the blended bulk granules under controlled temperature and humidity conditions. The filed capsules are dedustee, visually inspected, weightchecked and quarantied until by Quality assurance department.

Formulation Example 5:

Capsules:

Components	Composition Per Unit (mg)
Valsartan [= active ingredient]	160.00
Microcrystalline cellulose	50.20
Crospovidone	26.00
Povidone	25.00
Magnesium stearate	2.60
Sodium lauryl sulphate	1.20
Shell	
Iron oxide, red (C.I. No. 77491, EC No. E 172)	0.123
Iron oxide, yellow (C.I. No. 77492, EC No. E 172)	0.123
Iron oxide, black (C.I. No. 77499, EC No. E 172)	0.245

Titanium dioxide	1.540
Gelatin	74.969
Total tablet mass	642.00

The formulation is manufactured e.g. as described in Formulation Example 4.

Formulation Example 6:

Hard Gelatine Capsule:

Components	Composition Per Unit (mg)
Valsartan [= active ingredient]	80.00
Sodium laurylsulphate	0.60
Magnesium stearate	1.30
Povidone	12.50
Crospovidone	13.00
Microcrystalline cellulose	21.10
Total tablet mass	130.00

Examples 7 to 11:

Example	7	8	9	10	11
Components	COMPOSITION PER UNIT (mg)	COMPOSITION PER UNIT (mg)	COMPOSITION PER UNIT (mg)	COMPOSITION PER UNIT (mg)	COMPOSITION PER UNIT (mg)
Granulation					
Valsartan Drug Substance	80.000	160.000	40.000	320.000	320.000
Microcrystalline Cellulose (NF, Ph.Eur.)/ Avicel PH 102	54.000	108.000	27.000	216.000	216.000
Crospovidone (NF, Ph.Eur.)	15.000	30.000	7.500	80.000	60.000
Colloidal Anhydrous Silica (Ph. Eur.)/Colloidal Silicon Dioxide (NF)/Aerosil 200	1.500	3.000	0.750	3.000	6.000
Magnesium Stearate (NF, Ph.Eur.)	3.000	6.000	1.500	10.000	12.000
Blending					
Colloidal Anhydrous Silica (Ph. Eur.)/Colloidal Silicon Dioxide (NF)/Aerosil 200	---	---	---	3.000	-
Magnesium Stearate, NF, Ph.Eur.	1.500	3.000	0.750	8.000	6.000
Core Weight/mg	155.000	310.000	77.500	640.000	620.000
Coating	-	-	3.800	15.000	16.000

Example 12 : Dissolution of film-coated tablets (FCT)

The dissolution acceptance criteria are Q= 75% in 30 min (Paddle 50 rpm, phosphate buffer pH 6.8)

	40mg	Strength	320mg	Strength
Dissolution FCT				
	- level	+ level	- level	+ level
Mean [%]	98	97	93	89
rel. std. [%]	1.06	2.48	2.12	2.34
min. [%]	96	94	90	86
Max. [%]	99	99	95	92

What is claimed is

1. Use of an AT_1 receptor antagonist or or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of conditions or diseases associated with the increase of AT_1 receptors in the sub-epithelial area or increase of AT_2 receptors in the epithelia.

2. Use of an AT_1 receptor antagonist or or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of treatment of obstructive airways diseases are selected from chronic obstructive pulmonary disease, such as bronchitis, e.g. chronic bronchitis and emphysema, likewise from asthma, cystic fibrosis, interstitial lung disease, invasive lung and invasive breast cancer, pulmonary vascular disease, and increased resistance to airflow during forced expiration, any such treatment may also be associated with the treatment of hypertension as well as both non-smokers and smokers; for the treatment of specific forms of lung conditions and diseases; for the treatment of adults respiratory distress syndrome (ARDS); for reducing the proliferative capacity of the epithelium invasive cancer; for the treatment of sepsis syndrome, lung injury forms, such as pneumonia, aspiration of gastric content, chest trauma, shock, burns, fat embolia, cardiopulmonary bypass, O_2 toxicity, haemorhagic pancreatitis, interstitial and bronchoalveolar inflammation, proliferation of epithelial and interstitial cells, collagen accumulation, or fibrosis.

3. Use of an AT_1 receptor antagonist or or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of treatment of chronic obstructive pulmonary disease, such as bronchitis, e.g. chronic bronchitis or emphysema, or of asthma.

4. Use of an AT_1 receptor antagonist or or an AT_2 receptor modulator, respectively, or a pharmaceutically acceptable salt thereof, for producing a pharmaceutical preparation for the treatment of treatment of invasive lung and invasive breast cancer.

5. Use of an AT_1-receptor antagonist selected from the group consisting of:

(a)



(b)



(c)



(d)



(e)



(f)



(g)



(h)



(i)



(j)  und

(k) 

or, in each case, of a pharmaceutically acceptable salt thereof according to any one of claims 1-4.

6. Use of valsartan of formula



or of a salt thereof according to any one of claims 1-4.

7. A solid oral dosage form comprising valsartan in free form and more than 30% of microcristalline cellulose by weight based on the total weight of the core components of said form.

8. A solid oral dosage form according to claim 7 comprising up to 65% of microcristalline cellulose.

9. A solid oral dosage form according to claim 7 or 8 comprising less than 13% of crospovidone.

10. A solid oral dosage form comprising valsartan in free form and microcristalline cellulose wherein the weight ratio of valsartan to microcristalline cellulose is from 2.5 : 1 to 0.3 : 1.

11. A solid oral dosage form according to any one of claims 7 to 10 comprising 20 to 65% of valsartan.

12. A solid oral dosage form according to any one of claims 7 to 11 comprising 20 to 360 mg of valsartan.

13. A solid oral dosage form comprising
20 to 65% of valsartan
31 to 65% of microcristalline cellulose
2 to 13% of crospovidone.

14. A unit solid oral dosage form comprising more than 250 mg and up to 360 mg of valsartan as an active agent.

INTERNATIONAL SEARCH REPORT

Interna al Application No
PCT/EP 99/10330

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K31/41 A61K31/415 A61K31/44 A61K31/455

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 31634 A (NOVARTIS AG) 4 September 1997 (1997-09-04) page 12, line 13 -page 13, line 2 claims 1-8	1,2,4,5
X	DE 44 08 497 A (DR. KARL THOMAE GMBH) 21 September 1995 (1995-09-21) page 12, line 32 - line 43 claims 1-8	1-3
X	EP 0 502 314 A (DR. KARL THOMAE GMBH) 9 September 1992 (1992-09-09) claims 1-8 page 20, line 34 - line 45	1-3

-/—

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
4 April 2000	10/04/2000

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016	Siatou, E

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Interna al Application No
PCT/EP 99/10330

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94 13642 A (CIBA-GEIGY AG) 23 June 1994 (1994-06-23) cited in the application claims 1-12,14-16 page 2, line 23 -page 3, line 27 page 4, line 25 - line 29 page 5, last paragraph	1-3
X	EP 0 443 983 A (CIBA-GEIGY AG) 28 August 1991 (1991-08-28) cited in the application claims 25,38-40	1,4,5
X	DE 43 09 968 A (BAYER AG) 29 September 1994 (1994-09-29) page 8, line 7 - line 15 claims 1-4,6-9	1,2
X	DE 41 32 632 A (BAYER AG) 8 April 1993 (1993-04-08) page 7, line 51 - line 59 claims 1-5,8,9	1,2
X	WO 95 23792 A (ROUSSEL UCLAF) 8 September 1995 (1995-09-08) claims 1-5,7-10 page 41, line 29 -page 42, line 10	1,2
X	EP 0 702 013 A (MERCK PATENT) 20 March 1996 (1996-03-20) claims 1-8 page 3, line 39 - line 48	1,2
X	WO 92 05784 A (WARNER-LAMBERT COMPANY) 16 April 1992 (1992-04-16) page 2, line 27 -page 3, line 11 page 26 -page 31 page 5, line 3 -page 6, line 9	1,2

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern al Application No
PCT/EP 99/10330

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9731634 A	04-09-1997	AU 1791497 A	16-09-1997
		EP 0883401 A	16-12-1998
DE 4408497 A	21-09-1995	AU 693508 B	02-07-1998
		AU 1483295 A	21-09-1995
		CA 2144374 A	15-09-1995
		CN 1113235 A	13-12-1995
		EP 0682021 A	15-11-1995
		JP 7258221 A	09-10-1995
		PL 307669 A	18-09-1995
		US 5565469 A	15-10-1996
		ZA 9502046 A	13-09-1996
EP 502314 A	09-09-1992	DE 4103492 A	08-10-1992
		DE 4117121 A	17-12-1992
		DE 4137812 A	19-05-1993
		AT 166346 T	15-06-1998
		AU 655794 B	12-01-1995
		AU 1070792 A	13-08-1992
		BG 62309 B	30-07-1999
		CA 2060624 A	07-08-1992
		CS 9200306 A	12-08-1993
		DE 59209330 D	25-06-1998
		ES 2118095 T	16-09-1998
		FI 920486 A	07-08-1992
		HK 1011145 A	02-07-1999
		HR 940752 A	30-04-1997
		HU 217084 B	29-11-1999
		HU 9500157 A	28-11-1995
		IL 100864 A	19-01-1996
		JP 2709225 B	04-02-1998
		JP 4346978 A	02-12-1992
		LU 90372 A	12-05-1999
		MX 9200509 A	01-08-1992
		NO 301585 B	17-11-1997
		NZ 241515 A	26-10-1994
		PL 169675 B	30-08-1996
		SG 50481 A	20-07-1998
		SI 9210098 A	31-12-1994
		SK 279261 B	05-08-1998
		RU 2053229 C	27-01-1996
		US 5594003 A	14-01-1997
		US 5602127 A	11-02-1997
		US 5614519 A	25-03-1997
		US 5591762 A	07-01-1997
		ZA 9200816 A	05-07-1993
		EP 0543263 A	26-05-1993
WO 9413642 A	23-06-1994	AU 685767 B	29-01-1998
		AU 5696694 A	04-07-1994
		CA 2151380 A	23-06-1994
		EP 0673369 A	27-09-1995
		FI 952804 A	07-06-1995
		HU 71557 A	28-12-1995
		JP 8506097 T	02-07-1996
		NO 952289 A	09-06-1995
		NZ 258888 A	24-02-1997
		US 5683997 A	04-11-1997

INTERNATIONAL SEARCH REPORT

Information on patent family members

Interna al Application No
PCT/EP 99/10330

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 443983 A	28-08-1991	AT 134624 T	15-03-1996
		AU 644844 B	23-12-1993
		AU 7115191 A	22-08-1991
		CA 2036427 A	20-08-1991
		CA 2232775 A	20-08-1991
		CY 1978 A	05-09-1997
		DE 59107440 D	04-04-1996
		DK 443983 T	18-03-1996
		ES 2084801 T	16-05-1996
		FI 910747 A	20-08-1991
		FI 980787 A	06-04-1998
		GR 3019155 T	31-05-1996
		HK 219996 A	03-01-1997
		HU 61271 A	28-12-1992
		IE 71155 B	29-01-1997
		IL 97219 A	08-12-1995
		JP 2749458 B	13-05-1998
		JP 4235149 A	24-08-1992
		KR 171409 B	01-02-1999
		LU 90100 A	25-09-1997
		LU 90362 A	10-05-1999
		LV 5773 A	20-12-1996
		MX 24598 A	28-02-1994
		NO 304023 B	12-10-1998
		NZ 237126 A	25-11-1994
		PT 96799 A,B	31-10-1991
		US 5965592 A	12-10-1999
		US 5399578 A	21-03-1995
		ZA 9101179 A	27-11-1991
DE 4309968 A	29-09-1994	AU 5788694 A	29-09-1994
		CA 2119669 A	27-09-1994
		CN 1102645 A	17-05-1995
		CZ 9400710 A	19-10-1994
		EP 0622358 A	02-11-1994
		FI 941380 A	27-09-1994
		HU 68514 A	28-06-1995
		JP 6329637 A	29-11-1994
		NO 941073 A	27-09-1994
		NZ 260163 A	27-02-1996
		SK 35094 A	11-10-1995
		US 5576342 A	19-11-1996
		ZA 9402119 A	07-11-1994
DE 4132632 A	08-04-1993	AU 646596 B	24-02-1994
		AU 2602492 A	08-04-1993
		CA 2079268 A	02-04-1993
		EP 0539713 A	05-05-1993
		FI 924355 A	02-04-1993
		FI 924356 A	02-04-1993
		HU 62576 A	28-05-1993
		JP 5213939 A	24-08-1993
		MX 9205435 A	01-04-1993
		NO 923580 A	02-04-1993
		SK 297692 A	13-09-1995
		ZA 9207500 A	03-05-1993
WO 9523792 A	08-09-1995	FR 2716882 A	08-09-1995

INTERNATIONAL SEARCH REPORT

Information on patent family members

Interna al Application No
PCT/EP 99/10330

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9523792 A		AU 704897 B	06-05-1999
		AU 1852495 A	18-09-1995
		CA 2184111 A	08-09-1995
		CN 1146765 A	02-04-1997
		EP 0748315 A	18-12-1996
		HU 75697 A	28-05-1997
		JP 9509926 T	07-10-1997
		US 5977155 A	02-11-1999
		US 5811445 A	22-09-1998
EP 702013 A	20-03-1996	DE 4432860 A	21-03-1996
		AU 702722 B	04-03-1999
		AU 3171595 A	28-03-1996
		CA 2158225 A	16-03-1996
		CN 1129702 A,B	28-08-1996
		CZ 9502362 A	17-04-1996
		HU 74939 A	28-03-1997
		JP 8081466 A	26-03-1996
		NO 953624 A	18-03-1996
		PL 310460 A	18-03-1996
		SK 112395 A	04-06-1997
		US 5684015 A	04-11-1997
		ZA 9507754 A	09-04-1996
WO 9205784 A	16-04-1992	CA 2093125 A	03-04-1992
		EP 0551432 A	21-07-1993
		JP 6502168 T	10-03-1994
		US 5444069 A	22-08-1995
		US 5338744 A	16-08-1994